

LEGAL NOTICE

The Planning and Zoning Commission of the Town of Silver City will hold Public Hearings during its regular meeting at 7:00 p.m. on Tuesday, December 06, 2011, at the Grant County Administration Center, 1400 Hwy 180 East, Silver City, New Mexico. The public is invited to attend. The action items on the agenda for public hearing are:

Public Hearing:

VA 11-05 A request for a Variance for a tract of land addressed as 1806 N. Alabama Street, Silver City, New Mexico. The applicant is Robert Eagle. A Variance would allow the applicant to construct a perimeter wall over six feet in height.

CU 11-03 A request for a Conditional Use Permit to allow an antenna to be placed on an existing wireless telecommunications facility at the Southwest Concrete and Paving facility on Hilltop Road, Silver city, New Mexico. The applicant is Verizon Wireless.

ZC 11-04 A request for a Map Amendment/Zone Change from Commercial to Mixed Use Zone for a tract of land addressed as 1400 N Corbin St., Silver City, New Mexico. The applicant is Jeff Reese.

ZC 11-05 A request for a Map Amendment/Zone Change from Commercial to Mixed Use Zone for a tract of land addressed as 1113 Bennett St, Silver City, New Mexico. The applicant is David Horcasitas.

If you have any questions regarding this item, the file may be reviewed at the Community Development Department during regular business hours (Monday-Friday, 8:00 am to 5:00 pm, closed noon to 1:00 pm), located on the second floor of the Bank of America/City Hall Annex Building at 1203 N. Hudson Street, or call 534-6348. If you are an individual with a disability who needs a reader, amplifier, qualified sign language interpreter, or any other form of auxiliary aid service to attend or participate in the hearing or meeting, contact the Town Clerk at 534-6346 at least one week prior to the meeting or as soon as possible. Public documents, including the agenda and minutes, can be provided in various accessible formats. Please contact The Town Clerk if summary or other type of accessible format is needed.